

## Research Articles

1. Nguyen GC, Bayless TM, Powe NR, Laveist TA, Brant SR. Race and health insurance are predictors of hospitalized Crohn's disease patients undergoing bowel resection. *Inflamm Bowel Dis* 2007; 13:1408-16
2. De Jager PL, Franchimont D, Waliszewska A, Bitton A, Cohen A, Langelier D, Belaiche J, Vermeire S, Farwell L, Goris A, Libioulle C, Jani N, Dassopoulos T, Bromfield GP, Dubois B, Cho JH, Brant SR, Duerr RH, Yang H, Rotter JI, Silverberg MS, Steinhart AH, Daly MJ, Podolsky DK, Louis E, Hafler DA, Rioux JD. The role of the Toll receptor pathway in susceptibility to inflammatory bowel diseases. *Genes Immun* 2007;
3. Dassopoulos T, Nguyen GC, Bitton A, Bromfield GP, Schumm LP, Wu Y, Elkadri A, Regueiro M, Siemanowski B, Torres EA, Gregory FJ, Kane SV, Harrell LE, Franchimont D, Achkar JP, Griffiths A, Brant SR, Rioux JD, Taylor KD, Duerr RH, Silverberg MS, Cho JH, Steinhart AH. Assessment of reliability and validity of IBD phenotyping within the National Institutes of Diabetes and Digestive and Kidney Diseases (NIDDK) IBD Genetics Consortium (IBDGC). *Inflamm Bowel Dis* 2007; 13:975-83
4. Fernando MM, Stevens CR, Sabeti PC, Walsh EC, McWhinnie AJ, Shah A, Green T, Rioux JD, Vyse TJ. Identification of two independent risk factors for lupus within the MHC in United Kingdom families. *PLoS Genet* 2007; 3:e192
5. Taylor KD, Targan SR, Mei L, Ippoliti AF, McGovern D, Mengesha E, King L, Rotter JI. IL23R haplotypes provide a large population attributable risk for Crohn's disease. *Inflamm Bowel Dis* 2008; 14:1185-91
6. Price AL, Weale ME, Patterson N, Myers SR, Need AC, Shianna KV, Ge D, Rotter JI, Torres E, Taylor KD, Goldstein DB, Reich D. Long-range LD can confound genome scans in admixed populations. *Am J Hum Genet* 2008; 83:132-5; author reply 5-9
7. McCarroll SA, Huett A, Kuballa P, Chilewski SD, Landry A, Goyette P, Zody MC, Hall JL, Brant SR, Cho JH, Duerr RH, Silverberg MS, Taylor KD, Rioux JD, Altshuler D, Daly MJ, Xavier RJ. Deletion polymorphism upstream of IRGM associated with altered IRGM expression and Crohn's disease. *Nat Genet* 2008; 40:1107-12
8. Cunningham Graham DS, Graham RR, Manku H, Wong AK, Whittaker JC, Gaffney PM, Moser KL, Rioux JD, Altshuler D, Behrens TW, Vyse TJ. Polymorphism at the TNF superfamily gene TNFSF4 confers susceptibility to systemic lupus erythematosus. *Nat Genet* 2008; 40:83-9
9. Fernando MM, Stevens CR, Walsh EC, De Jager PL, Goyette P, Plenge RM, Vyse TJ, Rioux JD. Defining the role of the MHC in autoimmunity: a review and pooled analysis. *PLoS Genet* 2008; 4:e1000024
10. Kuballa P, Huett A, Rioux JD, Daly MJ, Xavier RJ. Impaired autophagy of an intracellular pathogen induced by a Crohn's disease associated ATG16L1 variant. *PLoS One* 2008; 3:e3391
11. Essers JB, Lee JJ, Kugathasan S, Stevens CR, Grand RJ, Daly MJ, Consortium NIG. Established genetic risk factors do not distinguish early and later onset Crohn's disease. *Inflamm Bowel Dis* 2009; 15:1508-14
12. Hollenbach JA, Ladner MB, Saeteurn K, Taylor KD, Mei L, Haritunians T, McGovern DP, Erlich HA, Rotter JI, Trachtenberg EA. Susceptibility to Crohn's disease is mediated by KIR2DL2/KIR2DL3 heterozygosity and the HLA-C ligand. *Immunogenetics* 2009; 61:663-71
13. McGovern DP, Rotter JI, Mei L, Haritunians T, Landers C, Derkowsi C, Dutridge D, Dubinsky M, Ippoliti A, Vasiliauskas E, Mengesha E, King L, Pressman S, Targan SR, Taylor KD. Genetic epistasis of IL23/IL17 pathway genes in Crohn's disease. *Inflamm Bowel Dis* 2009; 15:883-9

14. Seow CH, Stempak JM, Xu W, Lan H, Griffiths AM, Greenberg GR, Steinhart AH, Dotan N, Silverberg MS. Novel anti-glycan antibodies related to inflammatory bowel disease diagnosis and phenotype. *Am J Gastroenterol* 2009; 104:1426-34
15. Nguyen GC, Munsell M, Brant SR, LaVeist TA. Racial and geographic disparities in the use of parenteral nutrition among inflammatory bowel disease inpatients diagnosed with malnutrition in the United States. *JPEN J Parenter Enteral Nutr* 2009; 33:563-8
16. Nguyen GC, LaVeist TA, Harris ML, Datta LW, Bayless TM, Brant SR. Patient trust-in-physician and race are predictors of adherence to medical management in inflammatory bowel disease. *Inflamm Bowel Dis* 2009; 15:1233-9
17. Rioux JD, Goyette P, Vyse TJ, Hammarstrom L, Fernando MM, Green T, De Jager PL, Foisy S, Wang J, de Bakker PI, Leslie S, McVean G, Padyukov L, Alfredsson L, Annese V, Hafler DA, Pan-Hammarstrom Q, Matell R, Sawcer SJ, Compston AD, Cree BA, Mirel DB, Daly MJ, Behrens TW, Klareskog L, Gregersen PK, Oksenberg JR, Hauser SL. Mapping of multiple susceptibility variants within the MHC region for 7 immune-mediated diseases. *Proc Natl Acad Sci U S A* 2009; 106:18680-5
18. Raychaudhuri S, Thomson BP, Remmers EF, Eyre S, Hinks A, Guiducci C, Catanese JJ, Xie G, Stahl EA, Chen R, Alfredsson L, Amos CI, Ardlie KG, Barton A, Bowes J, Burtt NP, Chang M, Coblyn J, Costenbader KH, Criswell LA, Crusius JB, Cui J, De Jager PL, Ding B, Emery P, Flynn E, Harrison P, Hocking LJ, Huizinga TW, Kastner DL, Ke X, Kurreeman FA, Lee AT, Liu X, Li Y, Martin P, Morgan AW, Padyukov L, Reid DM, Seielstad M, Seldin MF, Shadick NA, Steer S, Tak PP, Thomson W, van der Helm-van Mil AH, van der Horst-Bruinsma IE, Weinblatt ME, Wilson AG, Wolbink GJ, Wordsworth P, Altshuler D, Karlson EW, Toes RE, de Vries N, Begovich AB, Siminovitch KA, Worthington J, Klareskog L, Gregersen PK, Daly MJ, Plenge RM. Genetic variants at CD28, PRDM1 and CD2/CD58 are associated with rheumatoid arthritis risk. *Nat Genet* 2009; 41:1313-8
19. Villani AC, Lemire M, Louis E, Silverberg MS, Collette C, Fortin G, Nimmo ER, Renaud Y, Brunet S, Libioulle C, Belaiche J, Bitton A, Gaudet D, Cohen A, Langlier D, Rioux JD, Arnott ID, Wild GE, Rutgeerts P, Satsangi J, Vermeire S, Hudson TJ, Franchimont D. Genetic variation in the familial Mediterranean fever gene (MEFV) and risk for Crohn's disease and ulcerative colitis. *PLoS One* 2009; 4:e7154
20. Ballard D, Abraham C, Cho J, Zhao H. Pathway analysis comparison using Crohn's disease genome wide association studies. *BMC Med Genomics* 2010; 3:25
21. Nguyen GC, LaVeist TA, Harris ML, Wang MH, Datta LW, Brant SR. Racial disparities in utilization of specialist care and medications in inflammatory bowel disease. *Am J Gastroenterol* 2010; 105:2202-8
22. Dubinsky MC, Mei L, Friedman M, Dhore T, Haritunians T, Hakonarson H, Kim C, Glessner J, Targan SR, McGovern DP, Taylor KD, Rotter JI. Genome wide association (GWA) predictors of anti-TNFalpha therapeutic responsiveness in pediatric inflammatory bowel disease. *Inflamm Bowel Dis* 2010; 16:1357-66
23. Haritunians T, Jones MR, McGovern DP, Shih DQ, Barrett RJ, Derkowsky C, Dubinsky MC, Dutridge D, Fleshner PR, Ippoliti A, King L, Leshinsky-Silver E, Levine A, Melmed GY, Mengesha E, Vasilauskas EA, Ziae S, Rotter JI, Targan SR, Taylor KD. Variants in ZNF365 isoform D are associated with Crohn's disease. *Gut* 2011; 60:1060-7
24. Achkar JP, Klei L, Bakker PI, Bellone G, Rebert N, Scott R, Lu Y, Regueiro M, Brzezinski A, Kamboh MI, Fiocchi C, Devlin B, Trucco M, Ringquist S, Roeder K, Duerr RH. Amino acid position 11 of HLA-DRbeta1 is a major determinant of chromosome 6p association with ulcerative colitis. *Genes Immun* 2011;
25. Festen EA, Goyette P, Green T, Boucher G, Beauchamp C, Trynka G, Dubois PC, Lagace C, Stokkers PC, Hommes DW, Barisani D, Palmieri O, Annese V, van Heel DA, Weersma RK, Daly MJ, Wijmenga C, Rioux JD. A meta-analysis of genome-wide association

- scans identifies IL18RAP, PTPN2, TAGAP, and PUS10 as shared risk loci for Crohn's disease and celiac disease. *PLoS Genet* 2011; 7:e1001283
26. Chun H, Ballard DH, Cho J, Zhao H. Identification of association between disease and multiple markers via sparse partial least-squares regression. *Genet Epidemiol* 2011; 35:479-86
  27. Chen M, Cho J, Zhao H. Incorporating biological pathways via a Markov random field model in genome-wide association studies. *PLoS Genet* 2011; 7:e1001353
  28. Waterman M, Xu W, Stempak JM, Milgrom R, Bernstein CN, Griffiths AM, Greenberg GR, Steinhart AH, Silverberg MS. Distinct and overlapping genetic loci in Crohn's disease and ulcerative colitis: correlations with pathogenesis. *Inflamm Bowel Dis* 2011; 17:1936-42
  29. Murdoch TB, Xu W, Stempak JM, Landers C, Targan SR, Rotter JI, Silverberg MS. Pattern recognition receptor and autophagy gene variants are associated with development of antimicrobial antibodies in Crohn's disease. *Inflamm Bowel Dis* 2012; 18:1743-8
  30. Labbe C, Boucher G, Foisy S, Alikashani A, Nkwimi H, David G, Beaudoin M, Goyette P, Charron G, Xavier RJ, Rioux JD. Genome-wide expression profiling implicates a MAST3-regulated gene set in colonic mucosal inflammation of ulcerative colitis patients. *Inflamm Bowel Dis* 2012; 18:1072-80
  31. Gathungu G, Zhang CK, Zhang W, Cho JH. A two-marker haplotype in the IRF5 gene is associated with inflammatory bowel disease in a North American cohort. *Genes Immun* 2012;
  32. Zhang W, Ferguson J, Ng SM, Hui K, Goh G, Lin A, Esplugues E, Flavell RA, Abraham C, Zhao H, Cho JH. Effector CD4+ T cell expression signatures and immune-mediated disease associated genes. *PLoS One* 2012; 7:e38510
  33. Ferguson JP, Cho JH, Zhao H. A new approach for the joint analysis of multiple ChIP-seq libraries with application to histone modification. *Stat Appl Genet Mol Biol* 2012; 11:Article 1
  34. Glas J, Seiderer J, Czamara D, Paschut G, Diegelmann J, Wetzkow M, Olszak T, Wolf C, Muller-Myhsok B, Balschun T, Achkar JP, Kamboh MI, Franke A, Duerr RH, Brand S. PTGER4 expression-modulating polymorphisms in the 5p13.1 region predispose to Crohn's disease and affect NF-kappaB and XBP1 binding sites. *PLoS One* 2012; 7:e52873
  35. Plevy S, Silverberg MS, Lockton S, Stockfisch T, Croner L, Stachelski J, Brown M, Triggs C, Chuang E, Princen F, Singh S. Combined serological, genetic, and inflammatory markers differentiate non-IBD, Crohn's disease, and ulcerative colitis patients. *Inflamm Bowel Dis* 2013; 19:1139-48
  36. Hu P, Muise AM, Xing X, Brumell JH, Silverberg MS, Xu W. Association between a multi-locus genetic risk score and inflammatory bowel disease. *Bioinform Biol Insights* 2013; 7:143-52
  37. Ananthakrishnan AN, Oxford EC, Nguyen DD, Sauk J, Yajnik V, Xavier RJ. Genetic risk factors for Clostridium difficile infection in ulcerative colitis. *Aliment Pharmacol Ther* 2013; 38:522-30
  38. Zheng S, Abraham C. NF-kappaB1 inhibits NOD2-induced cytokine secretion through ATF3-dependent mechanisms. *Mol Cell Biol* 2013; 33:4857-71
  39. Shen H, Zhang W, Abraham C, Cho JH. Age and CD161 expression contribute to inter-individual variation in interleukin-23 response in CD8+ memory human T cells. *PLoS One* 2013; 8:e57746
  40. Adamik J, Henkel M, Ray A, Auron PE, Duerr R, Barrie A. The IL17A and IL17F loci have divergent histone modifications and are differentially regulated by prostaglandin E2 in Th17 cells. *Cytokine* 2013; 64:404-12
  41. Wang MH, Fiocchi C, Ripke S, Zhu X, Duerr RH, Achkar JP. A novel approach to detect cumulative genetic effects and genetic interactions in Crohn's disease. *Inflamm Bowel Dis* 2013; 19:1799-808

42. Surti B, Spiegel B, Ippoliti A, Vasiliauskas EA, Simpson P, Shih DQ, Targan SR, McGovern DP, Melmed GY. Assessing health status in inflammatory bowel disease using a novel single-item numeric rating scale. *Dig Dis Sci* 2013; 58:1313-21
43. Dubinsky MC, Kugathasan S, Kwon S, Haritunians T, Wrobel I, Wahbeh G, Quiros A, Bahar R, Silber G, Farrior S, Stephens M, Teleten N, Panikkath D, Ippoliti A, Vasiliauskas E, Fleshner P, Williams C, Landers C, Rotter JI, Targan SR, Taylor KD, McGovern DP. Multidimensional prognostic risk assessment identifies association between IL12B variation and surgery in Crohn's disease. *Inflamm Bowel Dis* 2013; 19:1662-70
44. Tong M, Li X, Wegener Parfrey L, Roth B, Ippoliti A, Wei B, Borneman J, McGovern DP, Frank DN, Li E, Horvath S, Knight R, Braun J. A modular organization of the human intestinal mucosal microbiota and its association with inflammatory bowel disease. *PLoS One* 2013; 8:e80702
45. Wang MH, Fiocchi C, Zhu X, Ripke S, Kamboh MI, Rebert N, Duerr RH, Achkar JP. Gene-gene and gene-environment interactions in ulcerative colitis. *Hum Genet* 2014; 133:547-58
46. Dhillon SS, Mastropaoulo LA, Murchie R, Griffiths C, Thoni C, Elkadri A, Xu W, Mack A, Walters T, Guo C, Mack D, Huynh H, Baksh S, Silverberg MS, Brumell JH, Snapper SB, Muise AM. Higher activity of the inducible nitric oxide synthase contributes to very early onset inflammatory bowel disease. *Clin Transl Gastroenterol* 2014; 5:e46
47. Ananthakrishnan AN, Nguyen DD, Sauk J, Yajnik V, Xavier RJ. Genetic polymorphisms in metabolizing enzymes modifying the association between smoking and inflammatory bowel diseases. *Inflamm Bowel Dis* 2014; 20:783-9
48. Ananthakrishnan AN, Huang H, Nguyen DD, Sauk J, Yajnik V, Xavier RJ. Differential effect of genetic burden on disease phenotypes in Crohn's disease and ulcerative colitis: analysis of a North American cohort. *Am J Gastroenterol* 2014; 109:395-400
49. Yang SK, Hong M, Baek J, Choi H, Zhao W, Jung Y, Haritunians T, Ye BD, Kim KJ, Park SH, Park SK, Yang DH, Dubinsky M, Lee I, McGovern DP, Liu J, Song K. A common missense variant in NUDT15 confers susceptibility to thiopurine-induced leukopenia. *Nat Genet* 2014; 46:1017-20
50. Gonsky R, Deem RL, Landers CJ, Haritunians T, Yang S, Targan SR. IFNG rs1861494 polymorphism is associated with IBD disease severity and functional changes in both IFNG methylation and protein secretion. *Inflamm Bowel Dis* 2014; 20:1794-801
51. Tong M, McHardy I, Ruegger P, Goudarzi M, Kashyap PC, Haritunians T, Li X, Graeber TG, Schwager E, Huttenhower C, Fornace AJ, Jr., Sonnenburg JL, McGovern DP, Borneman J, Braun J. Reprograming of gut microbiome energy metabolism by the FUT2 Crohn's disease risk polymorphism. *ISME J* 2014; 8:2193-206
52. Lin L, Ma C, Wei B, Aziz N, Rajalingam R, Yusung S, Erlich HA, Trachtenberg EA, Targan SR, McGovern DP, Heath JR, Braun J. Human NK cells licensed by killer Ig receptor genes have an altered cytokine program that modifies CD4+ T cell function. *J Immunol* 2014; 193:940-9
54. Avitzur Y, Guo C, Mastropaoulo LA, Bahrami E, Chen H, Zhao Z, Elkadri A, Dhillon S, Murchie R, Fattouh R, Huynh H, Walker JL, Wales PW, Cutz E, Kakuta Y, Dudley J, Kammermeier J, Powrie F, Shah N, Walz C, Nathrath M, Kotlarz D, Puchaka J, Krieger J, Racek T, Kirchner T, Walters TD, Brumell JH, Griffiths AM, Rezaei N, Rashtian P, Najafi M, Monajemzadeh M, Pelsue S, McGovern DP, Uhlig HH, Schadt E, Klein C, Snapper SB, Muise AM. Mutations in Tetrastricopeptide Repeat Domain 7A Result in a Severe Form of Very Early Onset Inflammatory Bowel Disease. *Gastroenterology* 2014;
55. Liu TC, Gao F, McGovern DP, Stappenbeck TS. Spatial and temporal stability of paneth cell phenotypes in Crohn's disease: implications for prognostic cellular biomarker development. *Inflamm Bowel Dis* 2014; 20:646-51

56. Ballester V, Guo X, Vendrell R, Haritunians T, Klomhaus AM, Li D, McGovern DP, Rotter JI, Torres EA, Taylor KD. Association of NOD2 and IL23R with inflammatory bowel disease in Puerto Rico. *PLoS One* 2014; 9:e108204
57. Tong M, Jacobs JP, McHardy IH, Braun J. Sampling of intestinal microbiota and targeted amplification of bacterial 16S rRNA genes for microbial ecologic analysis. *Curr Protoc Immunol* 2014; 107:Unit 7 41
58. Hedl M, Abraham C. A TNFSF15 disease-risk polymorphism increases pattern-recognition receptor-induced signaling through caspase-8-induced IL-1. *Proc Natl Acad Sci U S A* 2014; 111:13451-6
59. Lahiri A, Abraham C. Activation of pattern recognition receptors up-regulates metallothioneins, thereby increasing intracellular accumulation of zinc, autophagy, and bacterial clearance by macrophages. *Gastroenterology* 2014; 147:835-46
60. Hedl M, Zheng S, Abraham C. The IL18RAP region disease polymorphism decreases IL-18RAP/IL-18R1/IL-1R1 expression and signaling through innate receptor-initiated pathways. *J Immunol* 2014; 192:5924-32
61. Palm NW, de Zoete MR, Cullen TW, Barry NA, Stefanowski J, Hao L, Degnan PH, Hu J, Peter I, Zhang W, Ruggiero E, Cho JH, Goodman AL, Flavell RA. Immunoglobulin A coating identifies colitogenic bacteria in inflammatory bowel disease. *Cell* 2014; 158:1000-10
62. Wu X, Lahiri A, Haines GK, 3rd, Flavell RA, Abraham C. NOD2 regulates CXCR3-dependent CD8+ T cell accumulation in intestinal tissues with acute injury. *J Immunol* 2014; 192:3409-18
63. Norman JM, Handley SA, Baldridge MT, Droit L, Liu CY, Keller BC, Kambal A, Monaco CL, Zhao G, Fleshner P, Stappenbeck TS, McGovern DP, Keshavarzian A, Mutlu EA, Sauk J, Gevers D, Xavier RJ, Wang D, Parkes M, Virgin HW. Disease-specific alterations in the enteric virome in inflammatory bowel disease. *Cell* 2015; 160:447-60
64. Kevans D, Waterman M, Milgrom R, Xu W, Van Assche G, Silverberg M. Serological markers associated with disease behavior and response to anti-tumor necrosis factor therapy in ulcerative colitis. *J Gastroenterol Hepatol* 2015; 30:64-70
65. Khor B, Gagnon JD, Goel G, Roche MI, Conway KL, Tran K, Aldrich LN, Sundberg TB, Paterson AM, Mordecai S, Dombkowski D, Schirmer M, Tan PH, Bhan AK, Roychoudhuri R, Restifo NP, O'Shea JJ, Medoff BD, Shamji AF, Schreiber SL, Sharpe AH, Shaw SY, Xavier RJ. The kinase DYRK1A reciprocally regulates the differentiation of Th17 and regulatory T cells. *Elife* 2015; 4
66. Zheng S, Hedl M, Abraham C. TAM receptor-dependent regulation of SOCS3 and MAPKs contributes to proinflammatory cytokine downregulation following chronic NOD2 stimulation of human macrophages. *J Immunol* 2015; 194:1928-37

### Review Articles

1. Cho JH. The genetics and immunopathogenesis of inflammatory bowel disease. *Nat Rev Immunol* 2008; 8:458-66
2. Xavier RJ, Huett A, Rioux JD. Autophagy as an important process in gut homeostasis and Crohn's disease pathogenesis. *Gut* 2008; 57:717-20
3. Xavier RJ, Rioux JD. Genome-wide association studies: a new window into immune-mediated diseases. *Nat Rev Immunol* 2008; 8:631-43
4. Abraham C, Cho JH. Inflammatory bowel disease. *N Engl J Med* 2009; 361:2066-78
5. O'Malley BW. The "fourth dimension" of gene transcription. *Mol Endocrinol* 2009; 23:587-9
6. Budarf ML, Labbe C, David G, Rioux JD. GWA studies: rewriting the story of IBD. *Trends Genet* 2009; 25:137-46
7. Zenewicz LA, Abraham C, Flavell RA, Cho JH. Unraveling the genetics of autoimmunity. *Cell* 2010; 140:791-7
8. Kuballa P, Nolte WM, Castoreno AB, Xavier RJ. Autophagy and the immune system. *Annu Rev Immunol* 2012; 30:611-46
9. Knights D, Lassen KG, Xavier RJ. Advances in inflammatory bowel disease pathogenesis: linking host genetics and the microbiome. *Gut* 2013; 62:1505-10
10. Ananthakrishnan AN, Xavier RJ. How does genotype influence disease phenotype in inflammatory bowel disease? *Inflamm Bowel Dis* 2013; 19:2021-30
11. Brant SR. Promises, delivery, and challenges of inflammatory bowel disease risk gene discovery. *Clin Gastroenterol Hepatol* 2013; 11:22-6
12. Jacobs JP, Braun J. Immune and genetic gardening of the intestinal microbiome. *FEBS Lett* 2014; 588:4102-11
13. Cho JH, Feldman M. Heterogeneity of autoimmune diseases: pathophysiologic insights from genetics and implications for new therapies. *Nature Medicine* 2015; 21:730-8
14. McGovern D, Kugathasan S, Cho JH. Genetics of Inflammatory Bowel Diseases. *Gastroenterology* 2015;